


Thule Caprock



Thule Caprock attachment options

The Thule Caprock platform is capable of carrying up to 330 lbs/150 kg when properly installed and the load is evenly distributed. Your weight limit will vary by your mounting option and your vehicles capability.

1.

Attached directly to Thule load carrier feet (sold separately)

Max load up to 100kg/220lbs*



2.

Attached to existing crossbars, using the Thule Caprock Crossbar Kit (sold separately)

Max load up to 100kg/220lbs*



3.

Attached directly to Thule Xscape

Max load up to 150kg/330lbs*





4.

Attached directly to Thule Caprock rail mount (sold separately)

Max load up to 150kg/330lbs*



1. Thule Caprock attached directly to Thule load carrier feet



*Please check the maximum roof load capacity of your vehicle and roof rack system

2. Thule Caprock attached to existing crossbars

Existing roof rack system



Thule Caprock crossbar kit



Thule Caprock



Attach to any roof rack or truck rack system that can support the load.



kg/lbs


Max
100 kg
220 lbs*



*Please check the maximum roof load capacity of your vehicle and roof rack system

3. Thule Caprock attached to Thule Xscape

Thule Xscape truck bed rack




+

Thule Caprock



=



kg/lbs

Max
150 kg
330 lbs*



*Please check the maximum roof load capacity of your vehicle and roof rack system

4. Thule Caprock with rail mount

Thule Caprock rail mount



+

Thule Caprock



=



Max
150 kg
330 lbs*



*Please check the maximum roof load capacity of your vehicle and roof rack system