



Thule Rapid System Kit 1677

> Instructions

TOYOTA Yaris, 3-dr Hatchback, 05-11, 12-

The diagram is divided into four main sections:

- Top Left:** A dashed box containing an information icon (i), a warning triangle, an arrow pointing to a person reading instructions, and two instruction manuals labeled 'B' (Thule Rapid System Kit 1677) and 'A' (Thule Rapid System 754). An arrow points from manual B to manual A, and another arrow points from manual A to a car roof rack.
- Top Right:** A weight calculation diagram. It shows a bag labeled 'xx kg / xx lbs' plus a roof rack labeled '7 kg / 15,4 lbs' and two screws labeled '3 kg / 6,6 lbs'. Below this, an equals sign leads to a box containing 'Max. 40 kg' and 'Max. 88 lbs'.
- Bottom Left:** A dashed box containing a warning triangle, three instruction manuals (A, B, and Security), and a person reading a manual.
- Bottom Right:** A diagram of a car with arrows indicating the roof rack's position. A speedometer graphic shows a warning triangle between 80 km/h (50 Mph) and 130 km/h (80 Mph), with a note '40 km/h 25 Mph' below it.

ISO 11154-E

141677


C.20150911
519-1677-02

Bring your life
thule.com




745 x4


06 x2



23 x1



24 x1





x1



x1

1


	X (scale)	X (mm)	X (inch)
TOYOTA Yaris, 3-dr Hatchback, 05-11, 12-	29	941	37





	Y (scale)	Y (mm)	Y (inch)
TOYOTA Yaris, 3-dr Hatchback, 05-11, 12-	23,5	886	34 7/8

2


SRA



TOYOTA Yaris, 3-dr Hatchback, 05-11, 12-



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
TOYOTA Yaris , 3-dr Hatchback, 05-11, 12-	178	711	311	7	28	12 1/4

